

LARSON CATALOGUE



EXTERIOR DOOR SYSTEMS | INTERIOR DOOR SYSTEMS | COMMERCIAL | HARDWARE



ADD A **Larson Door**

Add a Larson Door to any model of Madero door system in 32", 34" or 36" by standard 6/8" height. Available as factory installed or as DIY for existing doors in your home. A Larson storm door improves energy efficiency of the entryway by up to 80%. Please contact your Madero dealer for custom sizes and additional products available.



TABLE OF CONTENTS

4	Platinum Collection	18	Single Vent
5	456FV FVE Fullview Retractable Screen	18	298-SS Life-Core® Composite Surface Single-Vent
5	459FV FVE Interchangeable Full Glass	19	278-SS Life-Core® Single Vent
5	449-04 Secure Glass		
5	450-18 Secure Screen		
8	Full Glass Elegant Selection	20	Reversa Screen
9	149FV FVE Fullview Clear Glass	20	360-16 Classic View Reversa Screen Midview
9	149PV Fullview Pet Door	20	360-18 Classic View Reversa Screen Highview
9	149BV Fullview Arched Double Bevel	21	370-50 Life-Core® Reversa Screen
9	149EBV Fullview Elegant Bevel		
10	Classic View	22	Pet Friendly
10	350-17 Classic View Fullview - Brushed Nickel	22	360-79 Classic View Pet Door
11	360-48 WearTuff® Full Screen	23	360-49 Pet Breeze
		23	370-79 78 Life-Core® Pet Door Large & XLarge
12	Retractable Screens Easy Vent® Selection	25	Guardsman Security Storm Doors
12	146FV FVE Fullview Easy Vent®	25	920-20 Courtyard Security Door
13	146HV Highview Easy Vent®	25	920-21 Garden View Security Door
13	146PV Fullview Easy Vent® Pet Door	25	920-24 Geneva Security Door
13	146MV Midview Easy Vent®	25	920-28 El Dorado Security Door
13	146BV Fullview Easy Vent® Bevel	25	920-36 Soho Security Door
14	Lifestyle Screen Away®	26	Outdoor Living
14	830-80 Midview - Brass	26	7721 Brisa Single Door
14	830-82 Midview - Brushed Nickel	27	7722 Brisa Double Door
14	830-85 Midview - Aged Bronze		
15	691-52 Highview - Keyed Brushed Nickel	28	Retractable Motorized Screens
15	691-55 Highview - Keyed Aged Bronze	30	Measuring Storm Doors
15	691-90 Highview - Keyed Brass		
16	356-52 Superior Fullview - Brushed Nickel		
16	356-60 Superior Fullview - Brass		
17	370-84 Lifestyle 2.0 Midview Screen Away®		

Open the full potential of your entry – season after season.



Model 459FV | FVE in Black

Platinum Collection

The Platinum Collection delivers a sleek, modern design with premium standard features; Multi-point locking system, hidden built-in closer with Click&Hold™ technology, and triple weatherstripping.



Dominator™ Glass

Dominator™ inner shield between two glass panels to help prevent break-ins. Includes Break-In Protection Warranty.



Dominator™ Screen

Dominator™ .032" stainless steel mesh is tested to withstand 1,000lbs of force to help prevent break-ins. Includes Break-In Protection Warranty.

Platinum Collection Available Models



456FV | FVE
Fullview
Retractable Screen
Clear or Low-E

81" Height
32", 36"



Screen Away® disappears above the window for a clear view.



459FV | FVE
Interchangeable
Full Glass
Clear or Low-E

81" Height
32", 36"



Includes screen for seasonal ventilation.



449-04
Secure Glass

81" Height
32", 36"



Dominator™ inner shield between two glass panels to help prevent break-ins. Includes Break-In Protection Warranty.



450-18
Secure Screen

81" Height
32", 36"



Dominator™ .032" stainless steel mesh is tested to withstand 1,000lbs of force to help prevent break-ins. Includes Break-In Protection Warranty.



Platinum Collection Build Your Door

Door widths: 32", 36"

Standard Door Height: Fits 80-81"

Frame Colours



White
Linen



Pebblestone



Woodland




Graphite



Black

QuickFit™ Handlesets: Sold separately and required to operate the built-in deadbolt.



Curved

QuickFit™
HANDLE SET



Aged
Bronze



Antique
Brass



Brass



Brushed
Nickel



Straight



Aged
Bronze



Brushed
Nickel



Matte
Black

Model 456FV | FVE in White



Upgrade to Low-E Glass

Select storm doors can be upgraded to Low-E glass. Factory-coated Low-E glass minimizes the amount of UV rays that pass through to help reduce fading. Plus, Low-E delivers exceptional energy efficiency and can increase the insulating value of an entry by 24% compared to clear glass

The Low-E Advantage



Helps keep rooms cooler in the summer by reflecting the sun's heat.



Helps keep rooms warmer in the winter by minimizing heat loss.



Look for this icon on models that offer Low-E glass options.

Platinum Collection Features



Platinum Security

Additional security with multi-point locking system. QuickFit™ handleset sold separately.




Platinum Hidden Closer

Hidden built-in closer with Click&Hold™ technology to hold the door open.



Platinum Triple Seal

Triple weatherstrip to help protect your home and entry door from harsh weather.



Platinum Pre-Hung Door

Pre-assembled for easy surface mount installation. Select L (left-hinge) or R (right-hinge) as viewed from outside.



The Fast Install

Pre-assembled for easy surface mount installation. Just place on the opening and secure with pre-attached screws.




Lifetime Limited Warranty



Aluminum Frame

Constructed with heavy-duty, low-maintenance aluminum and surrounded by a dual or heavy-duty weatherstrip for exceptional weather resistance.



Composite Surface

High-performance composite surface over solid wood core and durable weatherstrip deliver weather-resistant protection that lasts.



Model 149FV - White



Model 149PV - Brown



Model 149EBV - White

Full Glass Elegant Selection

Our best and most beautiful full glass doors offer the widest selection of colour options to give your home a personalized look.

149FV | FVE Fullview Clear or Low-E Glass

81" Height
30", 32", 34", 36"



149PV Fullview Pet Door

81" Height
32", 36"




149BV Fullview Arched Double Bevel

81" Height
32", 36"




149EBV Fullview Elegant Bevel

81" Height
36"



Curved

Handles sold separately



Straight



Ventilation
Window and screen interchange for seasonal venting




Convenience
Two closers with hold-open button keeps the door open.



Finish
Installation screw covers conceal exterior screws.

Door Colours




Only available in 36"



Durability
Premium frame construction with 1-5/8" thick aluminum.



Protection
Overlapping frame and two closers provide tight seal.



Universal Hinge
For right or left mount.






Model 350-17 - Black



Handle Included



Brushed Nickel

Colours



White Black Brown



Sandstone Almond

81" Height
32", 36"


350-17 Classic View Fullview

- Aluminum 1-1/4" full glass door provides low-maintenance weather resistance.
- Heavy-duty weatherstrip.
- Interchangeable fullview glass and screen opens your home to the best of each season.
- Colour-matched adjustable closer.
- Bottom expander adjusts to uneven sills
- Universal hinge for right or left mount.






Model 360-48 - White



Colours



White Brown

81" Height
32", 36"

Screens



SUNTEX 80



Black Gray Stucco



PetScreen®



No-See-Um

360-48 WearTuff® Full Screen

- Kid- and pet-friendly WearTuff® screen reinforced in frame; upgrade screen options available.
- Low-maintenance 1-1/4" rigid aluminum frame.
- Mounting rail with side weatherstrip to keep out pests.
- Colour-matched lever handle and inside lock.
- Colour-matched adjustable-speed closer.
- Bottom expander fits tight to bottom sill.
- Universal hinge for right or left mount.
- Limited Lifetime Warranty



1
2
0
2



Retractable Screen Away® Storm Doors

Larson's Retractable Screen Away® designs convert your storm door to a screen door instantly and discreetly rolls up and hides when not in use.



**146FV | FVE Fullview
Easy Vent®**

8" Height
30", 32", 34", 36"

**146HV
Highview
Easy Vent®**

81" Height
32", 34", 36"



**146PV Fullview
Easy Vent®
Pet Door**

81" Height
32", 36"




**146MV
Midview
Easy Vent®**

81" Height
32", 34", 36"



**146BV Fullview
Easy Vent®
Bevel**


81" Height
36"



Handles sold separately



Door Colours



Only available in 36"



Ventilation

Convenient retractable screen provides anytime venting.



Convenience

Two closers with hold-open button keeps the door open.



Finish

Installation screw covers conceal exterior screws.




Durability

Premium frame construction with 1-7/8" thick aluminum.



Protection

Overlapping frame and two closers provide tight seal.



Universal Hinge

For right or left mount.






Model 830-82 White



Handle



Colours



81" Height
32", 34", 36"

**830 Lifestyle Screen Away®
Midview**

- Our top performing wood core retractable screen storm doors include features like a magnetic weatherstrip for a tight seal (830, 691 series)
- DuraTech surface over solid wood core for age and weather resistance.
- Screen Away retractable screen disappears in top cassette for a clear view.
- Two adjustable-speed closers in matching colours
- Bottom expander adjusts to uneven sills.
- Universal hinge for right or left mount
- 10-Year Limited Warranty






Model 691-52 - White



Handle



Colours



81" Height
32", 36"

691 Lifestyle Screen Away® Highview

- Our top performing wood core retractable screen storm doors include features like a magnetic weatherstrip for a tight seal (830, 691 series)
- DuraTech surface over solid wood core for age and weather resistance.
- Screen Away retractable screen disappears in top cassette for a clear view.
- Two adjustable-speed closers in matching colours
- Bottom expander adjusts to uneven sills.
- Universal hinge for right or left mount
- 10-Year Limited Warranty






Model 356-52 - White



Handle



Colours



White

81" Height
32", 34", 36"

**356 Lifestyle Screen Away®
Superior Fullview**

- 1-3/8" thick aluminum frame
- Heavy-duty weatherstrip
- Designer screw covers conceal exterior mounting screws.
- Screen Away retractable screen disappears in top cassette for a clear view
- Decorative exterior lever with keyed lock; colour matched interior handle
- One colour-matched adjustable-speed closer
- Bottom expander adjusts to uneven sills
- Universal hinge for right or left mount
- Limited Lifetime Warranty






Model 370-84 - White



Handle



Colours



81" Height
30", 32", 34", 36"

NEW! Available in Q3

**370-84 Lifestyle 2.0 Midview
Screen Away®**

- DuraTech surface over solid wood core for age and weather resistance
- Heavy-duty weatherstrip
- Screen Away retractable screen disappears in top cassette for a clear view
- Colour-matched lever handle and inside lock
- One colour-matched adjustable-speed closer
- Bottom expander adjusts to uneven sills
- Universal hinge for right and left mount
- 10-year Limited Warranty





Model 298-SS - White

Venting Storm Doors

Let in the breeze when you want, and the way you want, with these ventilating doors!

Storm doors at a great value. Choose from all-metal frame construction or a tough, weather resistant DuraTech surface. ReversaScreen provides for top or bottom venting.



Colours



White

Brown

81" Height
30", 32", 33", 34", 36"

NEW

298-SS Life-Core® Composite Surface Single-Vent (replacing 288-SS)

- 1" thick solid core design
- Maintenance-free composite finish provides weather resistance
- Traditional half-screen adjusts for bottom ventilation.
- One adjustable-speed closer.
- Bottom expander adjusts for uneven sills.
- Universal hinge for right or left mount
- Handle included, black finish.
- 10 Year Limited Warranty





Model 278-SS - White



Colours



White Black Brown



Sandstone Almond

81" Height
30", 32", 34", 36"

278-SS Life-Core® Single-Vent

- DuraTech surface over solid wood core for age and weather resistance
- Heavy-duty weatherstrip
- Single-vent glass and half screen for bottom ventilation.
- Colour-matched lever handle and inside lock
- Bottom expander adjusts to uneven sills
- Universal hinge for right and left mount
- 10-year Limited Warranty





Model 360-16 White



360-18 Highview



360-16 Midview

Colours



White Brown

81" Height
32", 33", 34", 36"

**360-16 Classic View
Reversa Screen**

- 1-1/4" thick maintenance free all-metal frame.
- Rigid steel kickpanel stands up to abuse.
- Reversa Screen for top or bottom ventilation.
- Bottom expander adjusts to uneven sills.
- Universal hinge for right or left mount.
- Colour matched lever handle & inside lock.
- One colour matched closer.



Model 370-50 - White



Colours



White Brown

81" Height
32", 34", 36"

370-50 Life-Core® Reversa Screen


- Wood core with DuraTech finish.
- WearTuff™ screen is 3x stronger and tear resistant.
- Allows top or bottom ventilation.
- High traffic 5 hinge system provides extra durability.
- FlexGuard closer protects the door when over-extended and allows door to open past 90 degrees.
- Handles included, colour matched to door.

Pet-Friendly




Pet Storm Doors

Let your pet in and keep unwanted critters out with our built-in pet door. These half screen doors combine function and style, letting the light in while letting your pet in and out.



Colours



81" Height
32", 34", 36"

360-79 Classic-View Pet Door

- All-metal frame is 1-1/4" thick and maintenance free.
- Fullview design bottom glass allows your pet to see outside.
- Tear resistant WearTuff® Screen is 3x stronger than regular screens.
- Reversa Screen for top or bottom ventilation.
- White lever handle and interior lock.
- Universal hinge for right or left mount.
- Bottom expander adjusts for uneven sills.
- Includes slide-in pet cover for added security when not in use.
- Limited Lifetime Warranty





360-49 Pet Breeze



Colours



81" Height
32", 36"

- 1-1/4" low-maintenance, all-metal frame.
- Tear resistant PetScreen Screen is built to hold up to daily life with your pet.
- Pet door fits pets up to 100lbs.
- Colour-matched lever handle and inside lock.
- Colour-matched adjustable-speed closer.
- Bottom expander adjusts to uneven sills.
- Universal hinge for right or left mount.
- Includes slide-in pet cover for added security when not in use.
- Limited Lifetime Warranty



370-79 | 78 Pet Door



Colours



81" Height
32", 36"

- DuraTech surface over solid wood.
- 370-79 fits pets up to 100lbs. - 10" x 17" large opening.
- 370-78 fits pets up to 220lbs. - 14" x 25" xlarge opening.
- Heavy-duty weatherstrip.
- Single-vent screen for bottom ventilation.
- Colour-matched adjustable-speed closer.
- Matching interior and exterior Secure Lock handles with built-in inside lock.
- Universal hinge for right or left mount.
- Includes slide-in pet cover for added security when not in use.
- 10-Year Limited Warranty.






Model 920-21 Garden View - White



Model 920-20 Courtyard - White



Model 920-28 El Dorado - Black

Guardsman Security Storm Doors

The Guardsman Collection offers a complete line of steel security doors engineered to protect what matters most without sacrificing style and ease of use.

The welded tubular steel frame and three-piece tempered safety glass system provide superior strength, and the anti-removal vault pin and heavy-duty hinges add reinforced protection. Interchangeable insect screens are sold separately for seasonal venting.




COURTYARD
920-20

81" Height
32", 34", 36"



GARDEN VIEW
920-21

81" Height
32", 34", 36"




GENEVA
920-24

81" Height
32", 36"



EL DORADO
920-28

81" Height
32", 36"



SOHO
920-36

81" Height
32", 36"

Colours



White



Black



Too Many Keys?

Provide your own hardware so you can open your entry and security doors with the same key.

Select standard entry door hardware with a 2-3/8" backset and 2-1/8" hole diameter.



Durable Frame
Welded tubular steel frame for superior strength.




Safety & Security
Anti-removal vault pin for reinforced protection.



Reinforced Hinges
Heavy-duty 7" hinges for a secure mount.

Lock Box Location



Standard

Hardware location for Guardsman doors are figured from the top of the opening down to the center of the lever/knob which is mounted in the top hole of the lock box. Based on a standard 81" door, this measurement is 38".

Custom:

When ordering, indicated the distance from the top of there door opening to the center of the lock box. Allowable location is center of the door based on the centered ordered opening height + or - 12".

Example: Opening Height: 83"

Center of Door: 41-1/2"

Maximum Height: 53-1/2" (41-1/2" + 12" = 53-1/2")

Minimum Height: 53-1/2" (41-1/2" - 12" = 29-1/2")



Brisa 7721 Single Door

Brisa Retractable Screen Doors

Brisa Retractable Screen Doors offer a new approach to maximizing fresh air. The full screen retracts when not in use. Brisa features a simple and quick 30-minute install.



Colours



81" - 81" Height
32" to 36"

7721 Single Door


- Cassette on the right or left side of the screen door can be pulled side-to-side or retracted when the screen is not in use.
- Subtle strips to prevent walk through.
- Quick snap track requires no cutting.
- Handle comes with latch lock to secure the door in place.
- Sizes: 32" to 36" Width x 80" Height
- Limited lifetime warranty.
- 30 minute installation.



Brisa 7722 Double Door



Colours



81" - 81" Height
32" to 36"

7722 Double Door

- Cassette on the right or left side of the screen door can be pulled side-to-side or retracted when the screen is not in use.
- Subtle strips to prevent walk through.
- Quick snap track requires no cutting.
- Handle comes with latch lock to secure the door in place.
- Sizes: 68" to 72" Width x 78", 80", 96" Height
- Limited lifetime warranty.
- 30 minute installation.




Retractable Motorized Screens



Enjoy the view in comfort.

Enjoy the outdoors in comfort with the Larson Retractable Motorized Screen. Protect against insects, debris, sun, heat and wind with a selection of five purpose-built screens that fully retract for an unobstructed view. Your screen is custom-made to fit your opening and is pre-assembled for easy recessed or surface-mount installation.




Aluminum Frame Colours



White Almond Sandstone Brown Black



Measuring Storm Doors



Your measurements

A	width
B	width
C	width
D	height


Door Sizes	Min-Max Doorway Width	Min-Max Doorway Height
30" x 81"	29-7/8" to 30-3/8"	80" to 81"
32" x 81"	31-7/8" to 32-3/8"	
34" x 81"	33-7/8" to 34-3/8"	
30" x 81"	35-7/8" to 36-3/8"	

Size availability varies by model.
CUSTOM SIZES available in select models.

Mounting Guide

Storm Doors (Recess Mount)

The rails mount inside the opening and require a 1" wide by 1" deep mounting surface.




Note: Construction styles may vary




Surface Mount (Platinum Collection Only)

- Rails mount directly to the face of the exterior brickmould.
- Requires a 3/4" wide mounting surface.



Recess Mount

- Rails mount inside the opening.
- Requires a 1" wide by 1" wide deep mounting surface





Make Your Grand Entrance

Looking for a high quality, complete door and hardware package for your home? Madero offers a wide array of door designs and configurations with highly customizable glass and hardware options suitable for both interior and exterior applications.



Entry Doors



Artisan Doors



Interior Doors



Multi-Family



Garden Patio



Commercial

Contact us at:

madero.ca | canada.orders@madero.ca | 1.800.667.6977



Brochure designed by
 **TWO SIX**
CREATIVE